



peronda


/ NOVELTIES FEBRUARY 2022

peronda

Pasión por el detalle


passion for detail


The largest format with the latest technology



Peronda presenta su última innovación en dimensiones de la pieza, donde aúna cantidad pero también calidad. El gran formato 100x260 cm, si bien ya conocido en el mundo de la cerámica, resurge en esta ocasión de la mano de Peronda para ofrecer por primera vez la mejor opción estética gracias a su acabado Shaped, el más realista del mercado. Shaped combina relieve y gráfica en cada pieza para replicar la naturaleza con precisión, pues se trata de la última tecnología de impresión en bajorrelieve. 100x260 cm Shaped, formatos mayúsculos para espacios monumentales.

Peronda presents its latest innovation regarding tile size by matching not only quantity but quality. The large 100x260 cm format, which is known within the ceramics field, makes a comeback by Peronda's hand to offer the most beautiful option for the first time thanks to its Shaped finish, the most realistic on the market. Shaped combines relief and graphics on each tile to replicate nature accurately, for it is the latest in bas-relief printing technology. 100 x 260 cm Shaped, capital formats for monumental spaces.





SHAPED TECH

Real precision by Peronda.

Natural

Las texturas, los recovecos, las vetas que crea la naturaleza son caprichosas, y esa es la fuente de su belleza. No hay dos iguales, y en su singularidad radica su belleza. La pasión por la búsqueda del detalle ha llevado a Peronda a desarrollar una tecnología capaz de reproducir la naturaleza en su máxima expresión, que es captando hasta el mínimo detalle. Los relieves son creados con tecnología digital perfectamente coordinada con la impresión gráfica para generar las piezas más naturales vistas en cerámica.

Preciso

Donde ponemos el relieve ponemos la tinta. La precisión con la que imprimimos nuestras piezas es milimétrica, pues relieve y gráfica casan a la perfección para obtener un resultado técnicamente inmejorable.

Real

Nada de ilusiones ópticas, esto es real. Lo que ves y lo que tocas es lo mismo. La veta está donde está el relieve y viceversa. Lo que siempre quisimos en cerámica, ahora lo consigue Peronda.

Natural


The textures, sinuosity and veining found in nature all follow capricious rules, and it is this random nature that makes them so very lovely. Nothing is ever identical and this singularity is the secret to nature's beauty. Peronda's passion for detail has led it to develop technology able to reproduce nature in its maximum of expressions, captured down to the tiniest of details. Digital technology is used to create textures that coincide perfectly with the printed pattern, leading to some of the most natural looking designs ever to be seen on ceramic tiles.

Precise

Our printing inks reach each and every part of the printed texture. The tiles are printed with absolute precision, carefully marrying the design with the corresponding texture to unparalleled technical effect.

Real

There are no optical illusions. Everything is real. What you see and what you touch are one and the same thing. The printed veins coincide perfectly with the texture. Everything you have always longed for in ceramic tiles has now been achieved by Peronda.





ALL IN ONE

Antislip Soft.
Unlimited purposes.



Usos ilimitados

MISMA SUPERFICIE
¿Imaginas poder tener un mismo suelo con iguales cualidades en todos los espacios de tus proyectos? El acabado All in one aporta suavidad y antideslizamiento. Ahora no hay por qué elegir, puedes tenerlo todo en un único producto.

Mayor suavidad y limpieza

Hasta ahora, las zonas húmedas estaban condenadas a la rugosidad. Ahora son más agradables y fáciles de limpiar gracias a la suavidad que nos aporta este nuevo acabado de Peronda.

Menor stock

El nuevo acabado All in one de Peronda es la mejor manera de optimizar el negocio, al permitirnos reducir stocks con este producto All in one. Con solo una referencia, somos capaces de satisfacer las diversas necesidades técnicas de tus proyectos.

Mayor armonía

Ya podemos salir del salón a la terraza sin depender de los formatos ni de los tonos. La colocación del material sin límites nos aporta esa sensación de continuidad estética que tanto nos gusta.

Unlimited purposes

SAME SURFACE
Can you imagine having the very same flooring with identical features in every single space of your project? All in one finish brings softness and anti slip treatment together. There is no need to choose any more. You can have it all in just one product.

More softness and cleanliness

Up to now, humid areas were doomed to roughness. They are nicer and easier to clean now thanks to the softness this brand-new Peronda's finish brings us.

Less stock

Peronda's new finish All in one is the best way to optimise business, for it lets us reduce the stock by using this all-in-one product. Just with one reference, we can satisfy the many technical needs of your project.

More harmony

We can already come out on the terrace regardless of neither formats nor tones. Unlimited ways of placing materials gives us a feeling of aesthetic continuation we really like.





LAYER TECH

Multi
texture
surface.

Layer Tech es la última tecnología de decoración cerámica, que permite crear texturas en diferentes capas de la superficie generando efectos variados en una misma pieza. Acabados espectaculares hasta ahora imposibles de conseguir en cerámica. Con esta técnica se abre un infinito abanico de posibilidades en decoración cerámica puesto que se trata de combinar distintas materias, colores y formas en un proceso de adición en el que cada combinación puede generar un efecto totalmente nuevo y sorprendente.

Layer Tech is the latest in tile printing technology. With it, textures can be created on different surface layers, generating varying effects on the same tile. This leads to hitherto unimaginable spectacular finishes on the tiles. Layer Tech technology opens up endless new possibilities in ceramic tile printing, since different materials, colours and shapes can be combined. In this additive process, each combination gives rise to a totally new amazing effect.



Accede al código QR y conoce a fondo nuestra tecnología LAYER TECH.





Ground

Shaped 4D

-  BONE
-  SILVER
-  GREY

100x100

100x260



GROUND 100x260 Grey Shaped



GROUND 100x100 Grey Shaped





GROUND 100x260 Grey Shaped





GROUND

Shaped 4D

GROUND 100x260 BONE Shaped



GROUND 100x260 Silver Shaped










GROUND porcelain

NEW



NEW



	100 * 260 * 0,6 cm 39 * 102"	100 * 100 * 0,6 cm 39 * 39"	90 * 90 * 1 cm 36 * 36"			60 * 60 * 1 cm 24 * 24"			45,6 * 45,6 * 0,8 cm 18 * 18"
RECTIFIED	SHAPED	SHAPED	SOFT	LAPATTO	ANTISLIP	SOFT	LAPATTO	ANTISLIP	SOFT
	BN141	BN135	BN48	BN42	BN90	BN33	BN38	BN88	BN59
BONE	33123	32889	24944	27134	24973	24936	27128	24979	23770
GREY	33125	32890	24792	27135	24974	24937	27130	24980	23771
SILVER	33124	32888	24790	27136	24975	24938	27129	24981	23769

45 * 90 * 1 cm 18 * 36"		29 * 90 * 1 cm 12 * 36"		9,9 * 60 * 1 cm 4 * 24"	
SOFT	SOFT	LAPATTO	SOFT	LAPATTO	
BN70	BN114	BN115	BN97	BN98	
24930	24920	27119	24941	27131	
24931	24921	27120	24942	27133	
24932	24922	27121	24943	27132	



Piezas Especiales | Special Pieces

	D. GROUND MOSAIC	D. GROUND SPAC	MILA	D. MILA MOSAIC	
	30 * 30 * 1 cm 12 * 12"	30 * 30 * 1 cm 12 * 12"	60 * 60 * 1 cm 24 * 24"	30 * 30 * 1 cm 12 * 12"	
RECTIFIED	MOSAIC_SOFT	SPAC_SOFT	MILA_SOFT	MILA_LAPATTO	MILA MOSAIC
	P37	P58	BN40	BN83	P37
BONE	23435	23505	24953	27137	23441
GREY	23438	23506	24952	27138	23442
SILVER	23439	23507			

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED				Class 1	> 0,42	< 175 mm³
SOFT (45)	R9			Class 1	> 0,42	< 175 mm³
SOFT	R10	A+B	+36 Wet	Class 2	> 0,42	< 175 mm³
LAPATTO	R9			Class 2	> 0,42	< 175 mm³
ANTISLIP	R12	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

* UPEC disponible en acabado soft | UPEC available in soft finished




Lucca

Shaped 4D

-  WHITE
-  GREY
-  BEIGE
-  ANTH

100x100

100x260







LUCCA 100x260 Beige Shaped



LUCCA 100x100 Beige Shaped





LUCCA 100x260 White Shaped



LUCCA 100x260 Beige Shaped




LUCCA


Shaped 4D



LUCCA Porcelain




NEW



RECTIFIED	SHAPED		SHAPED		ALL IN ONE			SHAPED		ALL IN ONE			NATURAL
	BN141	BN142	BN137	BN138	BN116	BN132	BN72	BN135	BN136	BN90	BN131	BN48	
ANTHRACITE	-	-	29848		29852	30105	30109	32881		29856	30099	30101	31354
BEIGE	33117		29850		29855	30106	30111	32880		29858	30097	30102	31355
GREY	33118		29851		29853	30107	30110	32879		29857	30100	30103	31356
WHITE	33119		29849		29854	30108	30112	32878		29859	30098	30104	31357

LUCCA White body



RECTIFIED	SHAPED		DECOR_SHAPED	
	BN8	BN10	BN8	BN10
BEIGE	31791		31794	
GREY	31790		31793	
WHITE	31789		31792	



Porcelain



White body

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6	ISO 10545-7 (PEI)
SHAPED				Class 1	> 0,42	< 175 mm ³	
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm ³	
HONED						< 175 mm ³	
SOFT				Class 1		< 175 mm ³	
NATURAL	R10	A+B	+36 Wet	Class 2	> 0,42		3,4,4,6

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS





Ghent

Shaped 4D
Antislip

-  WHITE
-  SILVER
-  BEIGE
-  GREY

100x100

100x180



GHENT 100x260 White Shaped



GHENT 100x100 White Antislip






GHENT

Shaped 4D



GHENT 100x100 Silver Shaped



GHENT 100x100 Beige Shaped





GHENT Porcelain



	100 * 260 * 0,6 cm 39 * 102"		100 * 180 * 0,6 cm 39 * 71"		60 * 120 * 1 cm 24 * 48"	100 * 100 * 0,6 cm 39 * 39"		100 * 100 * 0,8 cm 39 * 39"		90 * 90 * 1 cm 36 * 36"	60 * 60 * 1 cm 24 * 24"
RECTIFIED	SHAPED		SHAPED		ALL IN ONE	SHAPED		ANTISLIP		ALL IN ONE	NATURAL
	BN141	BN142	BN137	BN138	BN116	BN135	BN136	BN144	BN143	BN90	BN33
BEIGE	31852		33200		31753	31747		33948		31891	31755
GREY	31853		33202		31751	31749		33947		31892	31756
SILVER	31854		33201		31752	31748		33946		31893	31757
WHITE		31855		33203	31750		31746		33945	31894	31754

Piezas Especiales | Special Pieces



30 * 30 * 1 cm
12 * 12"

30 * 30 * 1 cm
12 * 12"

RECTIFIED	MOSAIC 16T_ALL IN ONE	MOSAIC 12T_ALL IN ONE
	P36	P36
BEIGE	32099	32103
GREY	32100	32104
SILVER	32101	32105
WHITE	32102	32106



CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³
NATURAL	R10	A+B	+36 Wet	Class 2	> 0,42	< 175 mm³
ANTISLIP	R10		+36 Wet	C2	> 0,42	< 175 mm³

GHENT White body



	33,3 * 100 * 0,7 cm 13 * 39"		33,3 * 100 * 0,86 cm 13 * 39"	
RECTIFIED	SHAPED	DECOR_SHAPED		
	BN8	BN10		
BEIGE	31860	31863		
SILVER	31862	31864		
WHITE	31861	31865		

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



Porcelain




White body




Verbier

Shaped - All in one

33x100



20x120




VERBIER 19,5x121,5 Honey
All in one



VERBIER decor 33,3x100 Honey
Shaped






VERBIER 19,5x121,5 Taupe
All in one



VERBIER decor 33,3x100 Taupe
Shaped





VERBIER

Shaped


VERBIER 33,3x100 Taupe
Shaped



VERBIER decor 33,3x100 Honey
Shaped



VERBIER Porcelain



Piezas Especiales Special Pieces

D. VERBIER
CHEV.




24 * 27,5 * 1 cm
9 * 12"

RECTIFIED	ALL IN ONE	ALL IN ONE
	BN121	BN95
ASH	31730	32079
CHERRY	31599	32080
CIGAR	31601	32081
HONEY	31604	32078
MAPLE	31603	32082
STRAW	31600	32083
TAUPE	31602	32084


ALL IN ONE
P53
32092
32093
32094
32095
32096
32097
32098

VERBIER White body



33,3 * 100 * 0,86 cm
13 * 39"

RECTIFIED	SHAPED
	BN10
HONEY	32893
TAUPE	32892



Porcelain

White body

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	varios moulds	diferent shades	shade variation	various graphics

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7 (PEI)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	3,4

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	diferent shades	shade variation	various graphics



FS Star LT

FS Wabi Sabi

FS Sea

33x33

45x45



FS STAR LT BLUE





FS STAR LT



FS STAR LT SAGE




FS STAR LT WHITE





FS STAR LT

Layer Tech



FS STAR LT

SINGLE FIRED FLOOR TILES

FS STAR LT Sage



FS STAR LT Black




FS STAR LT Blue



FS STAR LT White




FS STAR LT



9 patterns

45 * 45 * 1,05 cm
18 * 18"

NO RECTIFIED	LAYER TECH
	BN17
BLACK	32447
BLUE	32448
SAGE	32449
WHITE	33214



Rodapie - Skirting (R. FS 0)
8 * 45 cm | 3 * 18" **P8**

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt/gloss	diferent shades	shade variation	various graphics

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
LAYER TECH	R10	+36 Wet	Class 2	> 0,42



FS SEA

Layer Tech



FS SEA WHITE




FS SEA BLUE





FS SEA

Layer Tech



FS SEA

SINGLE FIRED FLOOR TILES


FS SEA White LT



FS SEA Blue LT



FS SEA



33 * 33 * 0,95 cm | 13 * 13"

NO RECTIFIED	LAYER TECH
	BN17
BLUE	32444
WHITE	32445

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	mat/gloss	diferent shades	shade variation	various graphics

FS WABI ARROW 33x33



FS SABI 45x45



FS ROOTS 0





FS WABI SABI

FS WABI SABI

SINGLE FIRED FLOOR TILES

FS WABI



FS SABI




FS WABI Arrow



FS ROOTS 0



FS WABI SABI



10 patterns

33 * 33 * 0,95 cm | 13 * 13"
45 * 45 * 1,05 cm | 18 * 18"

NO RECTIFIED	NATURAL
	BN14

FS WABI 32443

FS WABI ARROW 32442

FS SABI 32446

FS ROOTS




7 patterns

45 * 45 * 1,05 cm | 18 * 18"

NO RECTIFIED	NATURAL
	BN14

FS ROOTS 0 29295



Rodapie - Skirting
(R. FS ROOTS 0)
8 * 45 cm | 3 * 18" P8

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	diferent shades	shade variation	various graphics

ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN	BS 7976-2 (PTV)	UNE	ANSI A137.1 (DCOF)	ISO
NATURAL	51130	+36 Wet	41901 EX	Class 1	10545-7 (PEI) > 0,42

Technical Information




February 2022

TECHNICAL INFORMATION

PIEZA COMPLEMENTARIA | COMPLEMENTARY PIECE


PL. /18 Peldaño técnico - Technical stair - thread	PT. Peldaño técnico - Technical stair - thread	PR. Peldaño Romo Rounded stair - thread
---	---	--



30*100 cm | 12*39" P74

30*151 cm | 12*59" P80
30*121,5 cm | 12*48" P75

30*90 cm | 12*36" P76
30*60 cm | 12*24" P54
30*120 cm | 12*48" P75




30*100 cm | 12*39" P74

A = 0,6 cm B = 1,8 cm
A = 0,8 cm B = 2,4 cm

30*151 cm | 12*59" P80
30*121,5 cm | 12*48" P75

30*90 cm | 12*36" P76
30*60 cm | 12*24" P54
30*120 cm | 12*48" P75
A = 1 cm B = 3 cm



30*100 cm | 12*39" P85


30*151 cm | 12*59" P54
30*121,5 cm | 12*48" P77

30*90 cm | 12*36" P61
30*60 cm | 12*24" P64
30*120 cm | 12*48" P77




Accede al código QR y visualiza el manual técnico de colocación de gran formato. Enter with the QR code and view the technical manual for laying slabs.

R. Rodapie Skirting	S.K.I.	S.K.D.	Z.R.I.	Z.R.D.
----------------------------------	---------------	---------------	---------------	---------------




8*100 cm | 3*39" P45
8*60 cm | 3*24" P34
8*90 cm | 3*36" P44
8*60 cm | 3*24" P34



8*30 cm | 3*12" P53
8*30 cm | 3*12" P55
8*30 cm | 3*12" P55


AF. Alféizar - Windowsill




25*90 cm | 10*36" P77
25*120 cm | 10*48" P54

PIEZA ESPECIAL PISCINA | SPECIAL PIECE POOL


P.V. Peldaño Vierteagua Pool Coping	ANG.P.V. Peldaño vierteagua angulo Pool Coping internal corner	E.P.V. Peldaño vierteagua esquina Pool Coping external corner
--	---	--



20*60 cm | 8*24" P61
20*90 cm | 8*36" P81




20*60 cm | 8*24" P70 (PACK 2 units)
20*90 cm | 8*36" P75 (PACK 2 units)




20*60 cm | 8*24" P70 (PACK 2 units)
20*90 cm | 8*36" P75 (PACK 2 units)


REJ. Rejilla Drainage grate	ANG.REJ. Angulo rejilla Angle corner drainage grate	T.REJ. Taco rejilla Square corner drainage grate
--	---	--



15*60*2,2 cm | 6*24" P54
15*90*2,2 cm | 6*36" P76



15*60*2,2 cm | 6*24" P75 (PACK 2 units)
15*90*2,2 cm | 6*36" P57 (PACK 2 units)



15*15*2,2 cm | 6*6" P85

EMBALAJE PLACA | SLAB PACKING

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción. Weights shown here may slightly vary depending on the production lot.)

Formato Sizes	Placa Slab			Cajón madera Wooden crate				Cont./20' 21500-24000 kg. (24 cajones crates)		
	cm	Piezas	m ² / sq.m	kg	placas	m ² / sq.m	kg	Tamaño cm aprox.	m ² / sq.m	Kg
100 * 260 * 0,6	1	2,6	36,40	20	52	826,8		112 * 278 * 31	1248	19843,2
inch	units	ft ²	lb	Slabs	ft ²	lb		Sizes Inch approx.	ft ²	lb
39 3/8 * 102 3/8 * 1/4	1	28	80,24	20	559,7	1822,8		44 1/8 * 109 7/16 * 12 3/16	13433,4	43746,8

EMBALAJE | PACKING

	Formato Sizes	Cajas Boxes			Pallet (P)				Cont./20' 21500 kg.	Cont./20' 24000 kg.	
		Piezas	m ²	kg	Cajas	m ²	kg	Tamaño aprox. cm	m ²	m ²	
Porcelain	100 * 180 * 0,6	2	3,6	52,75	24	86,4	1316	190 * 115 * 60	1412 m ² (16 P)	1469 m ² (17 P)	
	100 * 100 * 0,6	2	2	27,8	24	48	709,2	112 * 112 * 61	1440 m ² (30 P)	21276 kg (30 P)	
	100 * 100 * 0,8	2	2	37	32	64	1226	112 * 112 * 100	1122,35	1252,85	
	90 * 90 * 1	2	1,62	40	22	35,64	905	105 * 95 * 75	846,7	945,15	
	60 * 120 * 1	2	1,44	33,18	27	38,88	920	120 * 80 * 75	908,61	1014,26	
	60 * 60 * 1	3	1,08	24,3	40	43,2	996	120 * 80 * 75	933	1041	
	45,6 * 45,6 * 0,8	5	1,04	18,8	66	68,64	1265	120 * 80 * 105	1166,61	1302,26	
	45 * 90 * 1	2	0,81	19,08	36	29,16	699	100 * 100 * 59	896,91	1001,2	
	29 * 90 * 1	3	0,78	20	54	42,12	1105	105 * 95 * 75	819,53	914,82	
	9,9 * 60 * 1	13	0,77	16,45	64	49,28	1065	100 * 100 * 94	994,85	1110,54	
Porcelain - wood	24 * 151 * 1	3	1,09	24,27	48	52,32	1200	156 * 93 * 63	889 m ² (17 P)	20399 kg (17 P)	
	19,5 * 121,5 * 1	4	0,95	22,17	40	38	912	128 * 95 * 55	895,83	1000	
White body wall tile	33,3 * 100 * 0,7	6	2	26,60	24	48	663	118 * 110 * 48	1556,56	1737,56	
	33,3 * 100 * 0,86	5	1,67	24	24	40,08	601	118 * 110 * 48	1544,30	1723,87	
Single fired floor tiles	45 * 45 * 1,05	5	1	22,67	66	66	1520	120 * 80 * 105	933	1042	
	33 * 33 * 0,95	10	1,09	22,92	48	52,32	1124	120 * 80 * 81	1055,23	1177,94	
Porcelain	inch	units	ft ²	lb	Boxes	ft ²	lb	Sizes Inch approx.	ft ²	ft ²	
	70 7/8 * 39 3/8 * 1/4	2	38,75	116,29	24	930	2901	74 3/4 * 45 1/4 * 235/8	15198,64 ft ² (16 P)	15812,18 ft ² (17 P)	
	39 3/8 * 39 3/8 * 1/4	2	21,52	61,29	24	516,66	1563,51	44 1/8 * 44 1/8 * 24	15500 ft ² (30 P)	46905,55 lb (30 P)	
	39 3/8 * 39 3/8 * 5/16	2	21,53	81,59	32	688,90	2703,33	44 1/16 * 44 1/6 * 39 3/8	12080,97	13485,73	
	35 7/16 * 35 7/16 * 3/8	2	17,44	83,69	22	383,63	1896,22	41 5/6 * 37 3/8 * 29 1/2	9589,39	10704,43	
	23 5/8 * 47 1/4 * 3/8	2	15,50	73,15	27	418,50	2027,92	47 1/4 * 31 1/2 * 29 1/2	9781,75	10919,17	
	23 5/8 * 23 5/8 * 3/8	3	11,63	53,57	40	465	2.195,8	47 1/4 * 31 1/2 * 29 1/2	10042,7	11205,23	
	17 15/16 * 17 15/16 * 5/16	5	11,19	41,45	66	738,84	2789,33	39 3/8 * 39 3/8 * 23 1/4	12557,38	14017,54	
	17 11/16 * 35 7/16 * 3/8	2	8,72	42,07	36	313,88	1541,3	41 5/16 * 31 1/2 * 41 5/16	9654,34	10776,94	
	11 7/16 * 35 7/16 * 3/8	3	8,4	44,09	54	453,38	2436,53	41 5/16 * 37 3/8 * 29 1/2	8821,41	9847,16	
	3 7/8 * 23 5/8 * 3/8	13	8,29	36,27	64	530,45	2348,33	39 3/8 * 39 3/8 * 37	10708,61	11953,8	
	Porcelain - wood	9 7/16 * 59 7/16 * 7/16	3	11,73	52,9	48	563,16	2645,54	61 7/16 * 36 5/8 * 24 13/16	9569,12 ft ² (17 P)	44972,1 lb (17 P)
		7 11/16 * 47 13/16 * 3/8	4	10,23	48,88	40	409,03	2010,96	50 3/8 * 37 3/8 * 21 5/8	9642,75	10764
White body wall tile	13 1/8 * 39 3/8 * 1/4	6	21,53	58,65	24	516,67	1461,92	46 7/16 * 43 5/16 * 18 7/8	16754,82	18703,06	
	13 1/8 * 39 3/8 * 5/16	5	17,98	48,95	24	431,42	1230,39	46 7/16 * 43 5/16 * 18 7/8	16622,86	18555,75	
Single fired floor tiles	17 11/16 * 17 11/16 * 7/16	5	10,76	49,97	66	710,42	3351,02	47 1/4 * 31 1/2 * 41 5/16	10042,7	11215,99	
	13 * 13 * 3/8	10	11,73	50,52	48	563,17	2477,99	47 1/4 * 31 1/2 * 31 7/8	11358,54	12679,31	



peronda.com

Av. Manuel Escobedo, 26 _ P.O Box 51
12200 **Onda (Castellón)** España
964 602 012 _ f. 964 600 361 _ f. exportación (+34) 964 771 162