

# TIMBER

**BAYUR**  
R9 · CLASS II

**ACACIA**  
R9 · CLASS II

**TILO**  
R9 · CLASS II

**ÉBANO**  
R9 · CLASS II

**MINDI**  
R9 · CLASS II

**HEXAG. IRREG.**  
R9 · CLASS II

**HEXAG.**  
R12 · CLASS III

**5**  
COLORES

TILO · MINDI · ACACIA  
BAYUR · EBANO

**4**  
FORMATOS

21x60 · 8"x23,6"  
10,5x60 · 4"x23,6"  
28,5x32,5 · 11,2"x12,7"  
21,5x30 · 8,4"x11,8"

**2**  
SUPERFICIES

fine **RESISTANCE** ▶ R12 - Class III  
*Comfort floor* ▶ R9 - Class II

**4**  
PIEZAS ESPECIALES

ÁNGULO PELDAÑO ANGULAR  
PELDAÑO ANGULAR  
ZÓCALO · ZANQUÍN

**EVOLUTION**  
EXTRUDED PORCELAIN TILE

**inklinker**  
NEWTech

**in & out**  
INTERIOR · EXTERIOR

SUPERFICIE	RESISTE LA FLEXIÓN	RESISTE EL DESGASTE	RESISTE EL RAYADO	ANTIDESLIZANTE	ANTID. TORTUS	MANCHAS	ABSORCIÓN	DILATACIÓN
fine <b>RESISTANCE</b>	33 N / mn2	PEI (II)	MOHS · 8	Class III · R 12	0,96 - 0,91	Class 5 · class A	0,1%	6,6* 10 <sup>6</sup> / °C
<i>Comfort floor</i>	31 N / mn2	PEI (II · III)	MOHS · 6	Class II · R 9	0,69 - 0,53	Class 5 · class A	0,1%	6,6* 10 <sup>6</sup> / °C

**NATUCER**

28,5X32,5

# TIMBER

TIMBER HEX. MINDI · 28,5 x 32,5  
TIMBER HEX. ABARCO ACACIA · 28,5 x 32,5

fine **RESISTANCE**  
R12 - Class III





△  
**TIMBER HEXAG. IRREGULAR ÉBANO** · 21,5 x 30  
**TIMBER HEXAG. IRREGULAR TILO** · 21,5 x 30  
**TIMBER HEXAG. IRREGULAR BAYUR** · 21,5 x 30

*Comfort floor*  
**R9 - Class II**

**TIMBER ACACIA** · 21 x 60  
**TIMBER ACACIA** · 10,5 x 60 ▷  
**PELDAÑO ANGULAR TIMBER ACACIA R9** · 32 x 32/4

*Comfort floor*  
**R9 - Class II**



10,5X60

# TIMBER

TIMBER BAYUR · 10,5 x 60

*Comfort* floor  
R9 - Class II

# TIMBER

EVOLUTION  
EXTRUDED PORCELAIN TILE

inklinker  
NEW TECH

in & out  
INTERIOR - EXTERIOR

EXTERIOR CLASS III  
UNE-EN 12633:2003

INTERIOR CLASS II  
UNE-EN 12633:2003

PE GRES EXTRUSIONADO PORCELÁNICO  
PORCELAIN EXTRUDED TILE

PAVIMENTO DE EXTERIOR  
OUTDOOR FLOOR TILE

RESISTENCIA A LA HELADA  
FROST PROOF

SIN MANTENIMIENTO  
NO MAINTENANCE

DESTONIFICADO ARMONIOSO  
CONTROLLED DESTONIFICATION

PAVIMENTO DE INTERIOR  
INDOOR FLOOR TILE

RESISTENTE AL DESGASTE  
WEAR RESISTANCE

RESISTENCIA AL RAYADO  
SCRATCH RESISTANCE

SUPERFICIE MATE  
MATT SURFACE

- 5** COLORES
- 4** FORMATOS
- 2** SUPERFICIES
- 4** PIEZAS ESPECIALES

TILO · MINDI · ACACIA · BAYUR · EBANO

21x60 · 8"x23,6" · 10,5x60 · 4"x23,6" · 28,5x32,5 · 11,2"x12,7" · 21,5x30 · 8,4"x11,8"

fine **RESISTANCE** R12 - Class III · *Comfort floor* R9 - Class II

ÁNG. PELDAÑO ANGULAR · PELDAÑO ANGULAR · ZÓCALO · ZANQUÍN

TIMBER TILO



TIMBER BAYUR



TIMBER MINDI



TIMBER ACACIA



TIMBER ÉBANO



MADE IN SPAIN

[www.natucer.es](http://www.natucer.es)

# TIMBER

EVOLUTION  
EXTRUDED PORCELAIN TILE

inKlinker  
NEW TECH

in & out  
INTERIOR - EXTERIOR

EXTERIOR CLASS III  
UNE-EN 12633:2003

INTERIOR CLASS II  
UNE-EN 12633:2003

fine **RESISTANCE** ▶ R12 - Clase III



**TIMBER HEXAG. TILO**  
28,5 x 32,5 (G-39) 11,2" x 12,7"  
m<sup>2</sup>



**TIMBER HEXAG. ACACIA**  
28,5 x 32,5 (G-39) 11,2" x 12,7"  
m<sup>2</sup>




**TIMBER HEXAG. BAYUR**  
28,5 x 32,5 (G-39) 11,2" x 12,7"  
m<sup>2</sup>




**TIMBER HEXAG. ÉBANO**  
28,5 x 32,5 (G-39) 11,2" x 12,7"  
m<sup>2</sup>



**TIMBER HEXAG. MINDI**  
28,5 x 32,5 (G-39) 11,2" x 12,7"  
m<sup>2</sup>




**TIMBER HEX. ABARCO ACACIA**  
28,5 x 32,5 (G-27) 11,2" x 12,7"  
m<sup>2</sup>




**TIMBER HEX. ABARCO BAYUR**  
28,5 x 32,5 (G-27) 11,2" x 12,7"  
m<sup>2</sup>


PIEZAS ESPECIALES · SPECIAL PIECES Disponible en todos los colores · Available in all colors




**PELDAÑO ANG. R9**  
32 x 32/4 (G 17) 13" x 13"  
♦



**ÁNGULO PELDAÑO ANG. R9**  
32 x 46/4 (G 18x2PZ) 13" x 18"  
♦



**ZÓCALO R9**  
9 x 30 (G 06) 4" x 11,8"  
♦



**ZANQUÍN R9**  
9 x 30 (G 09) 4" x 11,8"  
♦

## PACKING BASES

FORMATO	PULGADAS	PZ/CAJA	M <sup>2</sup>	CAJA/PLT	PESO/CAJA	PESO/PLT
28,5 x 32,5	11,2" x 12,7"	15	1,05	46	21,9	1.019
21 x 60	8" x 23,6"	8	1	72	23,17	1.682
10,5 x 60	4" x 23,6"	16	1	72	23,17	1.682
21,5 x 30	8,4" x 11,8"	21	1	50	21,35	1.080

## PACKING PIEZAS ESPECIALES

FORMATO	PULGADAS	PZ/CAJA	ML	CAJA/PLT	PESO/CAJA	PESO/PLT
PELDAÑO ANG. 32 x 32/4	13" x 13"	6	1,92	44	16,18	725
ANG. PELDAÑO 32 x 46/4	13" x 18"	2	0,32	90	3,16	307
ZÓCALO 9 x 30	4" x 11,8"	30	9	48	19,60	955
ZANQUÍN 9 x 30	4" x 11,8"	30	9	48	19,60	955

MADE IN SPAIN

# TIMBER

PE GRES EXTRUSIONADO PORCELÁNICO  
PORCELAIN EXTRUDED TILE

PAVIMENTO DE EXTERIOR  
OUTDOOR FLOOR TILE

RESISTENCIA A LA HELADA  
FROST PROOF

SIN MANTENIMIENTO  
NO MAINTENANCE

DESTONIFICADO ARMONIOSO  
CONTROLLED DESTONIFICATION

PAVIMENTO DE INTERIOR  
INDOOR FLOOR TILE

RESISTENTE AL DESGASTE  
WEAR RESISTANCE

RESISTENCIA AL RAYADO  
SCRATCH RESISTANCE

SUPERFICIE MATE  
MATT SURFACE

Comfort floor ▶ R9 - Clase II



**TIMBER HEXAG. IRREG. TILO**  
21,5 x 30 (G-39) 8,4" x 11,8"  
m<sup>2</sup>



**TIMBER HEXAG. IRREG. BAYUR**  
21,5 x 30 (G-39) 8,4" x 11,8"  
m<sup>2</sup>




**TIMBER HEXAG. IRREG. MINDI**  
21,5 x 30 (G-39) 8,4" x 11,8"  
m<sup>2</sup>




**TIMBER HEXAG. IRREG. ACACIA**  
21,5 x 30 (G-39) 8,4" x 11,8"  
m<sup>2</sup>



**TIMBER HEXAG. IRREG. ÉBANO**  
21,5 x 30 (G-39) 8,4" x 11,8"  
m<sup>2</sup>



**TIMBER HEX. IRRG. KUBIK**  
21,5 x 30 (G-27) 8,4" x 11,8"  
m<sup>2</sup>



**TIMBER HEX. IRRG. CROSS**  
21,5 x 30 (G-27) 8,4" x 11,8"  
m<sup>2</sup>



**TIMBER MINDI**  
21 x 60 (G-57) 8" x 23,6"  
10,5 x 60 (G-39) 4" x 23,6"  
m<sup>2</sup>



**TIMBER ACACIA**  
21 x 60 (G-57) 8" x 23,6"  
10,5 x 60 (G-39) 4" x 23,6"  
m<sup>2</sup>



**TIMBER TILO**  
21 x 60 (G-57) 8" x 23,6"  
10,5 x 60 (G-39) 4" x 23,6"  
m<sup>2</sup>



**TIMBER BAYUR**  
21 x 60 (G-57) 8" x 23,6"  
10,5 x 60 (G-39) 4" x 23,6"  
m<sup>2</sup>



**TIMBER ÉBANO**  
21 x 60 (G-57) 8" x 23,6"  
10,5 x 60 (G-39) 4" x 23,6"  
m<sup>2</sup>

www.natucer.es